## EAST SEARCH

L Number	Hits	Search Text	DB	Time stamp
-	1	09/770135	USPAT;	2004/05/05 11:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	:		IBM_TDB	
-	4	RSMTP	USPAT;	2004/04/23 17:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	"6519327"	USPAT;	2004/04/29 16:19
	_	0013021	US-PGPUB;	2001,04,25 10.15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	79	KOCHANSKI adj GREGORY	USPAT;	2004/04/23 17:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3916	SMTP	IBM_TDB USPAT;	2004/04/29 16:19
	3910	SHIE	US-PGPUB;	2004/04/29 10:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7097	greeting	USPĀT;	2004/04/29 16:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	143	SMTP and greeting	IBM_TDB USPAT;	2004/04/29 16:19
-	143	SMIP and greeting	US-PGPUB;	2004/04/29 16:19
			EPO; JPO;	
			DERWENT;	<u> </u>
			IBM TDB	
-	170913	envelope	USPAT;	2004/04/29 16:19
			US-PGPUB;	
			EPO; JPO;	
Ì			DERWENT;	
	33	(CMMP) and musting) and must	IBM TDB	2004/04/20 16:20
-	33	(SMTP and greeting) and envelope	USPAT; US-PGPUB;	2004/04/29 16:20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	·
-	33	(email or e-mail or "electronic mail" or	USPAT;	2004/05/05 11:25
		(electronic adj messag\$4)) and ((SMTP and	US-PGPUB;	
		greeting) and envelope)	EPO; JPO;	
1			DERWENT;	
_	975	SMED and (omail on a mail on "-1	IBM_TDB USPAT	2004/04/20 16:40
_	9/5	SMTP and (email or e-mail or "electronic mail" or (electronic adj messag\$4))	USPAT	2004/04/29 16:48
_	915	(SMTP and (email or e-mail or "electronic	USPAT	2004/04/29 16:41
		mail" or (electronic adj messag\$4))) and	JULAI	2003/03/29 10.41
1		messag\$3		
-	202402	send\$2	USPAT	2004/04/29 16:41
<b>-</b>	1651727	receiv\$3	USPAT	2004/04/29 16:41
-	179742	send\$2 and receiv\$3	USPAT	2004/04/29 16:42
-	834	(send\$2 and receiv\$3) and ((SMTP and	USPAT	2004/05/05 11:25
1		(email or e-mail or "electronic mail" or		
1_	100000	(electronic adj messag\$4))) and messag\$3)	II C D A M	2004/04/20 16 42
1 [	109828 40695	protocol   topology	USPAT USPAT	2004/04/29 16:43
_	134830		USPAT	2004/04/29 16:43
_	797	((send\$2 and receiv\$3) and ((SMTP and	USPAT	2004/04/29 16:44
		(email or e-mail or "electronic mail" or		
		(electronic adj messag\$4))) and messag\$3))		
		and (protocol or topology)		
-	267179		USPAT	2004/04/29 16:44
-	529536	transmission	USPAT	2004/04/29 16:44
	630354	transmit or transmission	USPAT	2004/04/29 16:44

Search History 5/5/04 3:07:55 PM Page 1

 $<sup>{\</sup>tt C:\APPS\setminus EAST\setminus Workspaces\setminus mdm\ baldwin-09770135.wsp}$ 

_	688	(((send\$2 and receiv\$3) and ((SMTP and	USPAT	2004/04/29 16:45
		(email or e-mail or "electronic mail" or		
]		<pre>(electronic adj messag\$4))) and messag\$3)) and (protocol or topology)) and (transmit</pre>		
		or transmission)		
l	212494	receiver	USPAT	2004/04/29 16:46
	293	((((send\$2 and receiv\$3) and ((SMTP and	USPAT	2004/04/29 16:47
		(email or e-mail or "electronic mail" or		
		<pre>(electronic adj messag\$4))) and messag\$3))</pre>		
		and (protocol or topology)) and (transmit		
	293	or transmission)) and receiver		0004/04/00 14 40
	293	<pre>((((send\$2 and receiv\$3) and ((SMTP and (email or e-mail or "electronic mail" or</pre>	USPAT; US-PGPUB;	2004/04/30 14:48
		(electronic adj messag\$4))) and messag\$3))	EPO; JPO;	
		and (protocol or topology)) and (transmit	DERWENT;	
		or transmission)) and receiver	IBM TDB	
-	315534	messag\$3	USPĀT;	2004/04/29 16:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3144	709/206	IBM_TDB USPAT;	2004/04/29 17:19
	2144	1	US-PGPUB;	2004/04/29 17:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2288	709/206 and (email or e-mail or	USPAT;	2004/04/29 17:20
		"electronic mail" or (electronic adj	US-PGPUB;	
]		messag\$4))	EPO; JPO;	
			DERWENT; IBM TDB	
_	835	(709/206 and (email or e-mail or	USPAT;	2004/04/29 17:20
		"electronic mail" or (electronic adj	US-PGPUB;	-551, 51, 25 17.20
		messag\$4))) and protocol	EPO; JPO;	
			DERWENT;	
1		(700/006 ) ( )	IBM_TDB	0004/04/05 := ::
-	844	(709/206 and (email or e-mail or	USPAT;	2004/04/29 17:20
		<pre>"electronic mail" or (electronic adj messag\$4))) and (protocol or topology)</pre>	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	48841	8?bit	USPAT;	2004/04/30 14:48
			US-PGPUB;	
			EPO; JPO;	
	}		DERWENT;	
_	851	((((send\$2 and receiv\$3) and ((SMTP and	IBM_TDB USPAT;	2004/04/30 15:16
_	631	((((Send32 and receiv33) and ((SMIP and (email or e-mail or "electronic mail" or	US-PGPUB;	2004/04/30 13:16
		(electronic adj messag\$4))) and messag\$3))	EPO; JPO;	
		and (protocol or topology)) and (transmit	DERWENT;	
		or transmission)) and receiver	IBM_TDB	
-	86	8?bit and (((((send\$2 and receiv\$3) and	USPĀT;	2004/04/30 14:51
		((SMTP and (email or e-mail or "electronic	US-PGPUB;	
		mail" or (electronic adj messag\$4))) and	EPO; JPO;	
		<pre>messag\$3)) and (protocol or topology)) and (transmit or transmission)) and receiver)</pre>	DERWENT;	
-	2	6675196.pn.	USPAT;	2004/04/30 14:51
			US-PGPUB;	2001/01/00 14.01
			EPO; JPO;	
			DERWENT;	
		<b></b>	IBM_TDB	
-	129	line-length	USPAT;	2004/04/30 15:16
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2	(((((send\$2 and receiv\$3) and ((SMTP and	USPAT;	2004/04/30 15:49
		(email or e-mail or "electronic mail" or	US-PGPUB;	
}		(electronic adj messag\$4))) and messag\$3))	EPO; JPO;	
		and (protocol or topology)) and (transmit	DERWENT;	
		or transmission)) and receiver) and	IBM_TDB	
	L	line-length	L	<u> </u>

_	2	6003070.pn.	USPAT;	2004/04/30 16:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2	5742905.pn.	IBM_TDB	2004/04/20 16:11
[ -	2	3742903.pm.	USPAT; US-PGPUB;	2004/04/30 16:11
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4480	"carriage return"	USPAT;	2004/05/03 16:09
			US-PGPUB;	2001, 00, 00 20.03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(((((send\$2 and receiv\$3) and ((SMTP and	USPAT;	2004/04/30 17:15
		(email or e-mail or "electronic mail" or	US-PGPUB;	
		(electronic adj messag\$4))) and messag\$3))	EPO; JPO;	
		and (protocol or topology)) and (transmit	DERWENT;	
		or transmission)) and receiver) and	IBM_TDB	
1_	393	"carriage return" duplicate adj message	HEDAT.	2004/04/20 17-15
	393	dupitcate adj message	USPAT; US-PGPUB;	2004/04/30 17:15
			EPO; JPO;	
		•	DERWENT;	
			IBM TDB	
-	48	(((((send\$2 and receiv\$3) and ((SMTP and	USPAT;	2004/04/30 17:16
		(email or e-mail or "electronic mail" or	US-PGPUB;	,,,,,,,,,
		(electronic adj messag\$4))) and messag\$3))	EPO; JPO;	
		and (protocol or topology)) and (transmit	DERWENT;	
		or transmission)) and receiver) and	IBM TDB	
		(duplicate adj message)	_	
-	21	(length adj limit) near line	USPAT;	2004/05/03 15:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	67060		IBM_TDB	0004/05/00 45 04
-	67963	email or e-mail or "electronic mail" or	USPAT;	2004/05/03 15:24
		(electronic adj messag\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	25	duplicate near suppress	USPAT;	2004/05/03 15:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(email or e-mail or "electronic mail" or	USPĀT;	2004/05/03 15:25
	1	(electronic adj messag\$4)) and (duplicate	US-PGPUB;	
		near suppress)	EPO; JPO;	
	-		DERWENT;	
1_	259769	suppross	IBM_TDB   USPAT;	2004/05/03 15:25
	233103	suppress .	USPAT; US-PGPUB;	2004/05/03 15:25
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	296352	сору	USPAT;	2004/05/03 15:25
	_	_ <del></del>	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB .	
_	9174	suppress and copy	USPAT;	2004/05/03 15:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	350	(omail on a mail on Walashards wells	IBM_TDB	2004/05/02 55 05
-	350	(email or e-mail or "electronic mail" or (electronic adj messag\$4)) and (suppress	USPAT; US-PGPUB;	2004/05/03 15:26
		and copy)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
·	<del> </del>			

	F 4010			
_	54810	delete	USPAT;	2004/05/03 15:26
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	154		USPAT;	2004/05/03 15:26
		(electronic adj messag\$4)) and (suppress	US-PGPUB;	
		and copy)) and delete	EPO; JPO;	
			DERWENT;	
_	239007	server	IBM_TDB USPAT;	2004/05/03 15:26
	233001	561761	US-PGPUB;	2004/05/05 15.20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	107882	client	USPAT;	2004/05/03 15:26
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	84150	server and client	USPAT;	2004/05/03 15:26
			US-PGPUB;	2001,00,00 20120
			EPO; JPO;	
			DERWENT;	
	,,,,	(	IBM_TDB	000.405.455.5
-	155	(server and client) and ((email or e-mail	USPAT;	2004/05/03 15:30
		or "electronic mail" or (electronic adj messag\$4)) and (suppress and copy))	US-PGPUB; EPO; JPO;	
•	}	messagy4// and (suppless and copy//	DERWENT;	
			IBM TDB	
-	87584	duplicate	USPAT;	2004/05/03 15:30
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	5	(suppress same duplicate) and (email or	IBM_TDB USPAT;	2004/05/02 17.46
		e-mail or "electronic mail" or (electronic	US-PGPUB;	2004/05/03 17:46
		adj messag\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	144	suppress same duplicate	USPAT;	2004/05/03 15:32
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	279336	message	USPĀT;	2004/05/03 15:32
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
_	33	(gupprogg game dualdasts)	IBM_TDB	2004/05/22 15 15
-	33	(suppress same duplicate) and message	USPAT;	2004/05/03 17:45
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	1	09/770135	USPĀT;	2004/05/03 16:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	6675196.pn.	IBM_TDB USPAT;	2004/05/03 16:05
		, 00.0150.pm	US-PGPUB;	2004/03/03 10:03
			EPO; JPO;	
			DERWENT;	<b> </b>
			IBM_TDB	
-	9263	"line feed"	USPĀT;	2004/05/03 16:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	•
		<u> </u>	ממי יומי	L

-	4481	"carriage return"	USPAT; US-PGPUB;	2004/05/03 16:09
			EPO; JPO;	
			DERWENT;	
	1170		IBM_TDB	
-	1173	"line feed" and "carriage return"	USPAT;	2004/05/03 16:10
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	69	(email or e-mail or "electronic mail" or	USPAT	2004/05/03 16:25
		(electronic adj messag\$4)) and ("line		
_	1	feed" and "carriage return") 5758088.pn.	110000	2004/05/02 17 22
_	1	6675196.pn.	USPAT USPAT	2004/05/03 17:33 2004/05/03 17:44
-	22025	acknowledgement	USPAT;	2004/05/03 17:45
}			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2722	acknowledgement and (email or e-mail or	IBM_TDB	2004/05/02 17:46
	2,22	"electronic mail" or (electronic adj	USPAT; US-PGPUB;	2004/05/03 17:46
		messag\$4))	EPO; JPO;	
		_	DERWENT;	
	7404		IBM_TDB	000.46=4=
-	7104	greeting	USPAT;	2004/05/03 17:46
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	153	(acknowledgement and (email or e-mail or	USPAT;	2004/05/03 17:46
		"electronic mail" or (electronic adj	US-PGPUB;	
		messag\$4))) and greeting	EPO; JPO; DERWENT;	
			IBM TDB	
-	170956	envelope	USPĀT;	2004/05/03 17:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	28	((acknowledgement and (email or e-mail or	USPAT;	2004/05/03 17:50
		"electronic mail" or (electronic adj	US-PGPUB;	
		messag\$4))) and greeting) and envelope	EPO; JPO;	
			DERWENT; IBM TDB	
_	13087	"ACK"	USPAT;	2004/05/03 17:50
			US-PGPUB;	= = = = = =
	all the same of th		EPO; JPO;	
1			DERWENT;	
_	1109	(email or e-mail or "electronic mail" or	IBM_TDB USPAT;	2004/05/03 17:51
1	1109	(electronic adj messag\$4)) and "ACK"	US-PGPUB;	2004/03/03 17:31
1			EPO; JPO;	
1			DERWENT;	
_		onvolence and //amail are a seed are	IBM_TDB	2004/05/02 17 71
-	65	envelope and ((email or e-mail or "electronic mail" or (electronic adj	USPAT; US-PGPUB;	2004/05/03 17:51
		messag\$4)) and "ACK")	EPO; JPO;	
	1	,	DERWENT;	
	1		IBM_TDB	
-	2	6675196.pn.	USPAT;	2004/05/05 11:46
			US-PGPUB; EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	83098	asynchronous	USPĀT;	2004/05/05 11:24
1			US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
				·

_	53	<pre>(((email or e-mail or "electronic mail" or (electronic adj messag\$4)) ) and (los\$4 near synch\$)) and (re-synchronize or resynchronize)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/05 12:12
			EPO; JPO; DERWENT; IBM_TDB	
-	3286	re-synchronize or resynchronize	IBM_TDB USPAT; US-PGPUB;	2004/05/05 12:05
-	18/	((email or e-mail or "electronic mail" or (electronic adj messag\$4)) ) and (los\$4 near synch\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 12:04
_	187	((email or e-mail or "electronic mail" or	EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10 05
-	5712	los\$4 near synch\$	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/05 11:56
-	20	("loses" adj synch\$) and ((email or e-mail or "electronic mail" or (electronic adj messag\$4)) )	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/05 11:55
<u>·</u>	354	"loses" adj synch\$	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 11:47
-	0	"loss of" adj synch\$	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 11:46
-	33	asynchronous.ti. and ((email or e-mail or "electronic mail" or (electronic adj messag\$4)) ) and (send\$2 and receiv\$3)	USPAT	2004/05/05 11:36
		e-mail or "electronic mail" or (electronic adj messag\$4)) ))) and synchronization) and (transmit or transmission)) and asynchronous.ti.		
<u>-</u>	1949	<pre>adj messag\$4)) ))) and synchronization) and (transmit or transmission) asynchronous.ti. ((((send\$2 and receiv\$3) and (client and server) and (asynchronous and ((email or</pre>	USPAT USPAT	2004/05/05 11:35 2004/05/05 11:35
	631366	transmit or transmission (((send\$2 and receiv\$3) and (client and server) and (asynchronous and ((email or e-mail or "electronic mail" or (electronic	USPAT USPAT	2004/05/05 11:26 2004/05/05 11:34
	621266	server) and (asynchronous and ((email or e-mail or "electronic mail" or (electronic adj messag\$4)) ))) and synchronization		
_ _	102861 363	adj messag\$4)) )) synchronization ((send\$2 and receiv\$3) and (client and	USPAT USPAT	2004/05/05 11:26 2004/05/05 11:26
_	973	(send\$2 and receiv\$3) and (client and server) and (asynchronous and ((email or e-mail or "electronic mail" or (electronic	USPAT	2004/05/05 11:26
- -	180182 20274	send\$2 and receiv\$3 client and server	DERWENT; IBM_TDB USPAT USPAT	2004/05/05 11:25 2004/05/05 11:25
-	4843	asynchronous and ((email or e-mail or "electronic mail" or (electronic adj messag\$4)) )	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/05 11:29
	68066	<pre>(email or e-mail or "electronic mail" or (electronic adj messag\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 11:29

	755417			[ 000 1 105 105 10
-	755417	drop or terminate or quit	USPAT;	2004/05/05 12:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	44	///ompil on o moil on Heleshwerisill	IBM_TDB	2004/05/05 10 20
_	44	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/05/05 12:30
		or (electronic adj messag\$4)) ) and (los\$4	US-PGPUB;	
		near synch()) and (re-synchronize or	EPO; JPO;	
		resynchronize)) and (drop or terminate or	DERWENT;	
	764786	quit)	IBM_TDB	0004/05/05 40 04
-	/64/86	\$3synch\$	USPAT;	2004/05/05 12:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/05 40 55
-	20		USPAT;	2004/05/05 12:35
		or e-mail or "electronic mail" or	US-PGPUB;	
		(electronic adj messag\$4))) and (los\$4	EPO; JPO;	
		near synch()) and (re-synchronize or	DERWENT;	
		resynchronize))) and ((drop or terminate	IBM_TDB	
	2050406	or quit) same \$3synch\$)		
-	3850486	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/05 12:37
		connection	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	710	700/040	IBM_TDB	
-	719		USPAT	2004/05/05 12:45
-	143	' '	USPAT	2004/05/05 12:45
	4.0	(electronic adj messag\$4)) ) and 709/248		0004/05/05 40 1-
-	40	((email or e-mail or "electronic mail" or	USPAT	2004/05/05 12:47
		(electronic adj messag\$4)) ) and 709/248		
	47060	and (drop or terminate or quit)		0004/05/05 10 15
	47263	clocking or (sampl\$ adj rate)	USPAT	2004/05/05 12:46
-	22739	"layer 1"	USPAT	2004/05/05 12:48
_	330	(clocking or (sampl\$ adj rate)) and "layer   1"	USPAT	2004/05/05 12:48
	320883	I =	tion. T	0004/05/05 10 10
-		sync\$	USPAT	2004/05/05 12:48
-	207	((clocking or (sampl\$ adj rate)) and	USPAT	2004/05/05 12:52
	1942	"layer 1") and sync\$ (clock\$3 tim\$3 sync\$12) near20 ((drop	HCDAM.	2004/05/05 10 56
-	1942	los\$2 terminat\$4) adj2 (connect\$5 sess\$3))	USPAT;	2004/05/05 12:56
Ì_	437	("layer 1" transport) and (clock\$3 tim\$3	US-PGPUB	2004/05/05 12:58
	45/	sync\$12) near20 ((drop los\$2 terminat\$4)	USPAT; US-PGPUB	2004/05/05 12:58
		adj2 (connect\$5 sess\$3))	US-FGFUB	
_	38	•	USPAT;	2004/05/05 13:06
		near20 ((drop los\$2 terminat\$4) adj2	US-PGPUB	2004/03/03 13:06
		(connect\$5 sess\$3))	OD EGEUD	
_	8	"layer 1" and (clock\$3 sync\$12) near20	USPAT;	2004/05/05 13:06
		((drop los\$2 terminat\$4) adj2 (connect\$5	US-PGPUB	500-1,00/00 T2:00
		sess\$3))	OD LGEOD	
1 -	8	1 ' ' ' '	USPAT;	2004/05/05 13:09
	I	out\$5sync\$12) near20 ((drop los\$2	US-PGPUB	2004/05/05 13.09
		terminat\$4) adj2 (connect\$5 sess\$3))	OD LOEOD	
_	215		USPAT;	2004/05/05 13:25
		((drop los\$2 terminat\$4) adj2 (connect\$5	US-PGPUB	2004/03/03 13:23
1		sess\$3))	00 1G10D	
_	215		USPAT;	2004/05/05 13:29
	2:5	out\$5sync\$12) near20 ((drop los\$2	US-PGPUB	2007/03/03 13:29
		terminat\$4) adj2 (connect\$5 sess\$3))	OD LGEOD	
_	55		USPAT;	2004/05/05 14:09
			US-PGPUB	2004/00/00 14.09
_	1	6675196.pn.	USPAT;	2004/05/05 14:12
	*		US-PGPUB	2004/03/03 14:12
-	1	5699517.pn.	USPAT;	2004/05/05 14:12
			US-PGPUB	
L		1	-5 -5105	1